There are no translations available.

DRY CONTAINER - 20 FEET

		Specifications for 8'6" / 24000 kg	Specifications for 8'6" / 30480 kg
Inside Measurement	Length (mm)	5900-5902	5888-5905
	Width (mm)	2352	2350-2352
	Height (mm)	2386-2395	2390-2396
Door Opening	Width (mm)	2340-2343	2338-2346
	Height (mm)	2280	2278-2393
Load Capacity	(m^3)	33.1-33.2	33.1-33.2
Container Weight	(kg)	2200-2380	2170-2380
Max. Load Weight	(kg)	21620-21800	28100-28310

DRY CONTAINER - 40 FEET

		Specifications for 8'6" / 30480 kg	Specifications for 8'6" / 32500 kg
Inside Measurement	Length (mm)	12023-12037	12031-12034
	Width (mm)	2350-2352	2352
	Height (mm)	2383-2395	2340-2395
Door Opening	Width (mm)	2338-2346	2340

Height (mm)	2272-2280	2280-2292	
Load Capacity	(m³)	67.4-67.8	67.6-67.8
Container Weight	(kg)	3590-3900	3360-3790
Max. Load Weight	(kg)	26580-26890	28710-28840

DRY CONTAINER - 40 FEET HIGH CUBE

Specifications for 9'6" / 30480 kg	Specifications for 9'6" / 32500 kg		
Inside Measurement	Length (mm)	12024-12037	12032-12034
Width (mm)	2350-2352	2352	
Height (mm)	2619-2703	2695-2700	
Door Opening	Width (mm)	2338-2343	2340
Height (mm)	2577-2591	2585	
Load Capacity	(m³)	76.1-76.5	76.3-76.4
Container Weight	(kg)	3712-4150	3860-3980
Max. Load Weight	(kg)	26330-26768	28520-28640

DRY CONTAINER - 45 FEET

		Specifications for 9'6" / 30480 kg	Specifications for 9'6" / 32500 kg	Specifications for 9'6" / 33020 kg
Inside Measurement	Length (mm)	13549-13560	13556	
Width (mm)	2352	2352	2352	
Height (mm)	2697-2700	2698	2700	
Door Opening	Width (mm)	2340-2345	2340	
Height (mm)	2585-2591	2585	2591	
Load Capacity	(m^3)	86.0-86.1	86.0	
Container Weight	(kg)	4500-5210	4870	
Max. Load Weight	(kg)	25270-25980	27630	

Characteristics of train cars

Covered train car

Photograph

Dimensions

Internal

Length, m

13,84

Width, m

2,76

Height, m

2,79

Volume, cu.m.

104,0

Dimensions of doorway opening, m

2,34 x 3,80

Gondola car

Photograph

Dimensions

Internal

Length, m

12,78

Width, m

3,13

Height, m
3,80

Volume, cu.m.
88,0